





































18. Hochberg MC, Altman RD, April KT, et al. American College of Rheumatology 2012 recommendations for the use of nonpharmacologic and pharmacologic therapies in osteoarthritis of the hand, hip, and knee. *Arthritis Care Res (Hoboken)*. 2012; 64: 465-74.
19. Zhang W, Moskowitz RW, Nuki G, Abramson S, Altman RD, Arden NK, et al. OARSI recommendations for the management of hip and knee osteoarthritis, Part II: OARSI evidence-based, expert consensus guidelines. *Osteoarthr Cartil*. 2008; 16: 137-62.
20. Zhang W, Doherty M, Leeb BF, et al. EULAR evidence based recommendations for the management of hand osteoarthritis: report of a Task Force of the EULAR Standing Committee for International Clinical Studies Including Therapeutics (ESCIIT). *Ann Rheum Dis*. 2007; 66: 377-88.
21. Zhang W, Doherty M, Leeb BF, et al. EULAR evidence-based recommendations for the diagnosis of hand osteoarthritis: report of a task force of ESCISIT. *Ann Rheum Dis*. 2009; 68: 8-17.
22. Zhang W, Doherty M, Peat G, et al. EULAR evidence-based recommendations for the diagnosis of knee osteoarthritis. *Ann Rheum Dis*. 2010; 69: 483-9.
23. Nevitt MC, Zhang Y, Javaid MK, et al. High systemic bone mineral density increases the risk of incident knee OA and joint space narrowing, but not radiographic progression of existing knee OA: the MOST study. *Ann Rheum Dis*. 2010; 69: 163-8.
24. Kim YH, Lee JS, Park JH. Association between bone mineral density and knee osteoarthritis in Koreans: the Fourth and Fifth Korea National Health and Nutrition Examination Surveys. *Osteoarthr Cartil*. 2018 [pub ahead of print].
25. Kellgren JH, Lawrence JS. Radiological assessment of osteo-arthrosis. *Ann Rheum Dis*. 1957; 16: 494-502.
26. Iwano T, Kurosawa H, Tokuyama H, Hoshikawa Y. Roentgenographic and clinical findings of patellofemoral osteoarthrosis. With special reference to its relationship to femorotibial osteoarthrosis and etiologic factors. *Clin Orthop Relat Res*. 1990; 252: 190-7.
27. Rosenberg TD, Paulos LE, Parker RD, et al. The forty-five-degree posteroanterior flexion weight-bearing radiograph of the knee. *J Bone Joint Surg Am*. 1988; 70: 1479-83.
28. van den Driest JJ, Schiphof D, Luijsterburg PAJ, et al. Effectiveness and cost-effectiveness of duloxetine added to usual care for patients with chronic pain due to hip or knee osteoarthritis: protocol of a pragmatic open-label cluster randomised trial (the DUO trial). *BMJ Open*. 2017; 7: e018661.
29. Clauw DJ, Hassett AL. The role of centralised pain in osteoarthritis. *Clin Exp Rheumatol*. 2017; 35: 79-84.
30. Bruyère O, Cooper C, Pelletier J-P, et al. An algorithm recommendation for the management of knee osteoarthritis in Europe and internationally: a report from a task force of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). *Semin Arthritis Rheum*. 2014; 44: 253-63.
31. Mackenzie IS, Coughtrie MWH, MacDonald TM, Wei L. Antiplatelet drug interactions. *J Intern Med*. 2010; 268: 516-29.
32. Hsu C-C, Wang H, Hsu Y-H, et al. Use of non-steroidal anti-inflammatory drugs and risk of chronic kidney disease in subjects with hypertension: Nationwide Longitudinal Cohort Study. *Hypertension*. 2015; 67: 524-33.
33. Angiolillo DJ, Weisman ST. Clinical pharmacology and cardiovascular safety of naproxen. *Am J Cardiovasc Drugs*. 2017; 17: 97-107.
34. Tacconelli S, Bruno A, Grande R, et al. Non-steroidal anti-inflammatory drugs and cardiovascular safety - translating pharmacological data into clinical readouts. *Expert Opin Drug Saf*. 2017; 16: 791-807.
35. Paterson MSM, Fu Y, Bhattacharya A, et al. Relative efficacy of topical non-steroidal anti-inflammatory drugs and topical capsaicin in osteoarthritis: protocol for an individual patient data meta-analysis. *Syst Rev*. 2016; 5: 165.
36. Paoloni M, Bernetti A, Belelli A, et al. Appropriateness of clinical and organizational criteria for intra-articular injection therapies in osteoarthritis. A Delphi method consensus initiative among experts in Italy. *Ann Ist Super Sanita*. 2015; 51: 131-8.
37. Fioravanti A, Karagulle M, Bender T. Balneotherapy in osteoarthritis: Facts, fiction and gaps in knowledge. *EIJM*. 2017; 9: 148-50.
38. Verhagen AP, Cardoso JR, Bierma-Zeinstra SMA. Aquatic exercise and balneotherapy in musculoskeletal conditions. *Best Pract Res Clin Rheumatol*. 2012; 26: 335-43.
39. Beasley J, Ward L, Knipper-Fisher K, et al. Conservative therapeutic interventions for osteoarthritic finger joints: A systematic review. *J Hand Ther*. 2018 [pub ahead of print].
40. Kloppenburg M, Kroon FP, Blanco FJ, et al. 2018 update of the EULAR recommendations for the management of hand osteoarthritis. *Ann Rheum Dis*. 2018 [pub ahead of print].